



Letter to the Editor

Comments on “Adsorptive removal of cadmium(II) ions from liquid phase using acid modified carbon-based adsorbents”



Yuh-Shan Ho

Water Research Centre, Asia University, Taichung 41354, Taiwan

ARTICLE INFO

Article history:

Received 22 May 2015

Received in revised form 18 December 2015

Accepted 19 December 2015

Available online xxx

Keywords:

Adsorption

Kinetics

Second-order model

Dear Editor,

Recently, Ihsanullah et al. [1] published the paper entitled “Adsorptive removal of cadmium(II) ions from liquid phase using acid modified carbon-based adsorbents”. In the “2.7. Kinetic modeling” section of the original paper, the authors had mentioned that “The adsorption of Cd(II) was analysed using the following pseudo-first-order, second-order and pseudo-second-order rate equations:” by using Eqs. (5) to (7).

Pseudo-first order

$$\log(q_e - q_t)/q_e = -K_1 t / 2.303 \quad (5)$$

Second order

$$1/(q_e - q_t) = 1/q_e + kt \quad (6)$$

Pseudo-second order

$$t/q_t = 1/2K_s q_e^2 + t/q_e \quad (7)$$

In fact, Eqs. (6) and (7) are the same when constant $2K_s = k$ [2]. Details are shown as follows:

$$\begin{aligned} \frac{1}{q_e - q_t} &= \frac{1}{q_e} + kt \\ \frac{1}{q_e - q_t} &= \frac{q_e}{1 + kq_e t} \\ q_e - q_t &= \frac{q_e}{1 + kq_e t} \\ q_t &= q_e - \frac{q_e}{1 + kq_e t} \\ q_t &= \frac{(1 + kq_e t)q_e - q_e}{1 + kq_e t} \\ q_t &= \frac{q_e + kq_e^2 t - q_e}{1 + kq_e t} \\ q_t &= \frac{kq_e^2 t}{1 + kq_e t} \\ \frac{1}{q_t} &= \frac{1}{kq_e^2 t} + \frac{1}{q_e} \\ \frac{t}{q_t} &= \frac{1}{kq_e^2} + \frac{t}{q_e} \end{aligned} \quad (6)$$

Eq. (6) is not second order but it is pseudo-second order kinetic model [2]. Eq. (7) is an incorrect pseudo-second order kinetic model [3,4].

All related discussion in the original paper [1] would not be appropriate. In order to stop the proliferation of the mistake a comment has been made [5]. This type of error could be avoided if authors have had paid more attention to details about the model from the original paper.

References

- [1] F.A. Ihsanullah Al-Khaldi, B. Abusharkh, M. Khaled, M.A. Atieh, M.S. Nasser, T. Iouli, T.A. Saleh, S. Agarwal, I. Tyagi, V.K. Gupta, *J. Mol. Liq.* 204 (2015) 255–263.
- [2] Y.S. Ho, McKay, G., *Can. J. Chem. Eng.* 76 (1998) 822–827.
- [3] Y.S. Ho, *Can. J. Chem. Eng.* 88 (2010) 693–694.
- [4] Y.S. Ho, *J. Hazard. Mater.* 136 (2006) 681–689.
- [5] Y.S. Ho, *Water Res.* 12 (2004) 2962–2964.